INSULFOAM

SUBFLOOR INSULATION SYSTEM

INSTALLATION INSTRUCTIONS

ELECTRIC CABLES AND FITTINGS

INSULFOAM must not come into contact with any unprotected electrical cabling. If required, protect cables with rigid PVC conduits, or paper-based tape. All electrical fittings must also be provided with a 150mm gap from any INSULFOAM.

Note: Flexible PVC cables will deteriorate if they remain in contact with polystyrene for extend periods of time.



protected cabling

MEASURE AND CUT

Width: measure between the floor joists and add 10-20mm (for compression of the INSULFOAM panel).


Length: add 2mm to any measurement, to ensure snug fit.
Cut: trim concertina edges and/or length using a sharp knife or handsaw.



2

INSTALLATION TO NEW BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from above, just prior to installing the flooring. Ensure a snug fit, as this optimises insulation performance. An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.



INSTALLATION TO EXISTING BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from below. Ensure a snug fit, as this optimises insulation performance.


An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.



ADDITIONAL SUPPORT

In most situations, INSULFOAM will be self-supporting however, if INSULFOAM will be exposed to strong air movements under the floor e.g. built on stilts, added support may be required.

This can be achieved by using a polystyrene compatible adhesive (refer RendeX® for recommendations) between INSULFOAM and the flooring (or joists) or skewed nails into the joists.



SEALING

To further optimise thermal efficiency, apply expanding foam to all gaps around plumbing and other ducting penetration.

Note: Gaps around electrical fittings MUST NOT be filled.



SPECIFICATIONS

INSULFOAM panel size: 1,220mm x 420mm **INSULFOAM** panel thicknesses: 50mm, 75mm and 90mm

EPS grade: SL, fire retarded expanded polystryrene **Thermal Insulation:** up to R2.3 additional **SDS:** available from www.rendex.com.au

ADDRESSES

Victoria

Unit 5B, 1764 Sydney Road Campbellfield VIC 3061

75 Rodeo Drive Dandenong South VIC 3175

New South Wales

6/376 Newbridge Road Moorebank NSW 2170

South Australia

24 Humphries Terrace Kilkenny SA 5009

CONTACT

www.rendex.com.au sales@rendex.com.au National 1300 663 118 Campbellfield 03 9357 7316 Dandenong 03 8738 8110 Moorebank 02 9725 1915

Kilkenny 08 8244 1999

INSULFOAM

50MM | SUBFLOOR INSULATION SYSTEM

INSTALLATION INSTRUCTIONS

ELECTRIC CABLES AND FITTINGS

INSULFOAM must not come into contact with any unprotected electrical cabling. If required, protect cables with rigid PVC conduits, or paper-based tape. All electrical fittings must also be provided with a 150mm gap from any INSULFOAM.

Note: Flexible PVC cables will deteriorate if they remain in contact with polystyrene for extend periods of time.




protected cabling

MEASURE AND CUT

Width: measure between the floor joists and add 10-20mm (for compression of the INSULFOAM panel).


Length: add 2mm to any measurement, to ensure snug fit. Cut: trim concertina edges and/or length using a sharp knife or handsaw.



7

INSTALLATION TO NEW BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from above, just prior to installing the flooring. Ensure a snug fit, as this optimises insulation performance. An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.



INSTALLATION TO EXISTING BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from below. Ensure a snug fit, as this optimises insulation performance.

An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.




4

ADDITIONAL SUPPORT

In most situations, INSULFOAM will be self-supporting however, if INSULFOAM will be exposed to strong air movements under the floor e.g. built on stilts, added support may be required.

This can be achieved by using a polystyrene compatible adhesive (refer RendeX® for recommendations) between INSULFOAM and the flooring (or joists) or skewed nails into the joists.



SEALING

To further optimise thermal efficiency, apply expanding foam to all gaps around plumbing and other ducting penetration.

Note: Gaps around electrical fittings MUST NOT be filled.



6

SPECIFICATIONS

INSULFOAM panel size: 1,220mm x 420mm **INSULFOAM** panel thickness: 50mm

EPS grade: SL, fire retarded expanded polystryrene **Thermal Insulation:** up to R2.3 additional **SDS:** available from www.rendex.com.au

ADDRESSES

Victoria

Unit 5B, 1764 Sydney Road Campbellfield VIC 3061

75 Rodeo Drive Dandenong South VIC 3175

New South Wales

6/376 Newbridge Road Moorebank NSW 2170

South Australia

24 Humphries Terrace Kilkenny SA 5009

CONTACT

www.rendex.com.au sales@rendex.com.au National 1300 663 118 Campbellfield 03 9357 7316 Dandenong 03 8738 8110 Moorebank 02 9725 1915 Kilkenny 08 8244 1999

INSULFOAM

75MM | SUBFLOOR INSULATION SYSTEM

INSTALLATION INSTRUCTIONS

ELECTRIC CABLES AND FITTINGS

INSULFOAM must not come into contact with any unprotected electrical cabling. If required, protect cables with rigid PVC conduits, or paper-based tape. All electrical fittings must also be provided with a 150mm gap from any INSULFOAM.

Note: Flexible PVC cables will deteriorate if they remain in contact with polystyrene for extend periods of time.



MEASURE AND CUT

Width: measure between the floor joists and add 10-20mm (for compression of the INSULFOAM panel).


Length: add 2mm to any measurement, to ensure snug fit. Cut: trim concertina edges and/or length using a sharp knife or handsaw.



2

INSTALLATION TO NEW BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from above, just prior to installing the flooring. Ensure a snug fit, as this optimises insulation performance. An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.



INSTALLATION TO EXISTING BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from below. Ensure a snug fit, as this optimises insulation performance.

An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.




4

ADDITIONAL SUPPORT

In most situations, INSULFOAM will be self-supporting however, if INSULFOAM will be exposed to strong air movements under the floor e.g. built on stilts, added support may be required.

This can be achieved by using a polystyrene compatible adhesive (refer RendeX® for recommendations) between INSULFOAM and the flooring (or joists) or skewed nails into the joists.



SEALING

To further optimise thermal efficiency, apply expanding foam to all gaps around plumbing and other ducting penetration.

Note: Gaps around electrical fittings MUST NOT be filled.



(

SPECIFICATIONS

INSULFOAM panel size: 1,220mm x 420mm **INSULFOAM** panel thickness: 75mm

EPS grade: SL, fire retarded expanded polystryrene **Thermal Insulation:** up to R2.3 additional **SDS:** available from www.rendex.com.au

ADDRESSES

Victoria

Unit 5B, 1764 Sydney Road Campbellfield VIC 3061

75 Rodeo Drive Dandenong South VIC 3175

New South Wales

6/376 Newbridge Road Moorebank NSW 2170

South Australia

24 Humphries Terrace Kilkenny SA 5009

CONTACT

www.rendex.com.au sales@rendex.com.au National 1300 663 118 Campbellfield 03 9357 7316 Dandenong 03 8738 8110 Moorebank 02 9725 1915

Kilkenny 08 8244 1999

90MM | SUBFLOOR INSULATION SYSTEM

INSTALLATION INSTRUCTIONS

ELECTRIC CABLES AND FITTINGS

INSULFOAM must not come into contact with any unprotected electrical cabling. If required, protect cables with rigid PVC conduits, or paper-based tape. electrical fittings must also be provided with a 150mm gap from any INSULFOAM.

Note: Flexible PVC cables will deteriorate if they remain in contact with polystyrene for extend periods of time.



protected cabling

MEASURE AND CUT

Width: measure between the floor joists and add 10-20mm (for compression of the INSULFOAM panel).

Length: add 2mm to measurement, to ensure snug fit. Cut: trim concertina edges and/or length using a sharp knife or handsaw.




INSTALLATION TO NEW BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from above, just prior to installing the flooring. Ensure a snug fit, as this optimises insulation performance.

An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.

optional cavity (15mm)



INSTALLATION TO EXISTING BUILDS

Compress the sides of INSULFOAM and squeeze between the floor joists from below. Ensure a snug fit, as this optimises insulation performance.

An increased R value can be achieved by creating a 15mm cavity between INSULFOAM and the flooring.



ADDITIONAL SUPPORT

In most situations, INSULFOAM will be self-supporting however, if INSULFOAM will be exposed to strong air movements under the floor e.g. built on stilts, added support may be required.

This can be achieved by using a polystyrene compatible adhesive (refer RendeX® for recommendations) between INSULFOAM and the flooring (or joists) or skewed nails into the joists.



SEALING

To further optimise thermal efficiency, apply expanding foam to all gaps around plumbing and other ducting penetration.

Note: Gaps around electrical fittings MUST NOT be filled.



SPECIFICATIONS INSULFOAM panel size: 1,220mm x 420mm **INSULFOAM panel thickness:** 90mm

EPS grade: SL, fire retarded expanded polystryrene Thermal Insulation: up to R2.3 additional **SDS:** available from www.rendex.com.au

ADDRESSES

Victoria Unit 5B, 1764 Sydney Road

Campbellfield VIC 3061

75 Rodeo Drive Dandenong South VIC 3175 **New South Wales**

6/376 Newbridge Road Moorebank NSW 2170

South Australia

24 Humphries Terrace Kilkenny SA 5009

CONTACT

www.rendex.com.au sales@rendex.com.au

National 1300 663 118 Campbellfield **03 9357 7316** Dandenong 03 8738 8110 Moorebank 02 9725 1915

Kilkenny 08 8244 1999